TITLE INDEX OF VOLUME 34, 1996

Advection-Dispersion Analysis of Solute Transport in Undisturbed Soil Monoliths, by K. H. Jensen, G. Destouni & M. Sassner. v. 34, no. 6, pp. 1090-1097.

Analysis of a Marine Intrusion by Parameters Derived from Salt-Water Conductivity, by Alexander Rozycki. v. 34, no. 6, pp. 1076-1081.

Analysis of the Deformation of Homogeneous Electrical Fields Over Some Two-Dimensional Structures, by M. Srinivas & N. Sundararajan. v. 34, no. 4, pp. 588-592.

Analytical Modeling of Effects of Application Frequency on Pesticide Concentrations in Wells, by W.H.J. Beltman, J.J.T.I. Boesten, S.E.A.T.M. van der Zee & J.J. Quist. v. 34, no. 3, pp. 470-479.

Applicability of Slug Interference Tests for Hydraulic Characterization of Unconfined Aquifers: (1) Analytical Assessment, by F. A. Spane. v. 34, no. 1, pp. 66-74.

Applicability of Slug Interference Tests for Hydraulic Characterization of Unconfined Aquifers: (2) Field Test Examples, by F. A. Spane, Jr., P. D. Thorne & L. C. Swanson. v. 34, no. 5, pp. 925-933.

Application of Factor Analysis to the Study of Contamination in the Aquifer System of Ayamonte-Huelva (Spain), by J. A. Grande, A. González, R. Beltrán & D. Sánchez-Rodas. v. 34, no. 1, pp. 155-161.

Application of Petroleum Geophysical Well Logging and Sampling Techniques for Evaluating Aquifer Characteristics, by T. J. Temples & M. G. Waddell. v. 34, no. 3, pp. 523-531.

Aquifer Response to Record Low Barometric Pressures in the Southeastern United States, by James E. Landmeyer. v. 34, no. 5, pp. 917-924.

(A) Bayesian Markov Geostatistical Model for Estimation of Hydrogeological Properties, by L. Rosen & G. Gustafson. v. 34, no. 5, pp. 865-875.

Bench-Scale Evaluation of Bioaugmentation to Remediate Carbon Tetrachloride-Contaminated Aquifer Materials, by T. J. Mayotte, M. J. Dybas & C. S. Criddle. v. 34, no. 2, pp. 358-367.

Bias in Ground-Water Data Caused by Well-Bore Flow in Long-Screen Wells, by P. E. Church & G. E. Granato. v. 34, no. 2, pp. 262-273.

Biogeochemical Evolution of Domestic Waste Water in Septic Systems: 2. Application of Conceptual Model in Sandy Aquifers, by S. R. Wilhelm, S. L. Schiff & W. D. Robertson. v. 34, no. 5, pp. 853-864.

Biotransformation at 10° C of Di-n-Butyl Phthalate in Subsurface Microcosms, by C. Chauret, W. E. Inniss & C. I. Mayfield. v. 34, no. 5, pp. 791-794.

Biotransformation of Organics in Soil Columns and an Infiltration Area, by T.N.P. Bosma, E.M.W. Ballemans, N. K. Hoekstra, R.A.G. te Welscher, J.G.M.M. Smeenk, G. Schraa & A.J.B. Zehnder. v. 34, no. 1, pp. 49-56.

Boundary Condition and Soil Attribute Impacts on Anionic Surfactant Mobility in Unsaturated Soil, by B. Allred & G. O. Brown. v. 34, no. 6, pp. 964-971.

Cokriging Limited Transmissivity Data Using Widely Sampled Specific Capacity from Pump Tests in an Alluvial Aquifer, by L. Hughson, D. Huntley & M. Razack. v. 34, no. 1, pp. 12-18.

Combined Use of Flowmeter and Time-Drawdown Data to Estimate Hydraulic Conductivities in Layered Aquifer Systems, by R. T. Hanson & T. Nishikawa. v. 34, no. 1, pp. 84-94.

Computer Notes — A BEM Code for Ground-Water Problems in Multizoned Domains with Normal Boundary Flux Discontinuities, by C. Fidelibus & V. Lenti. v. 34, no. 5, pp. 943-948.

Computer Notes — A Program for Analyzing Transient and Steady-State Soil Gas Pump Tests, by Ronald W. Falta. v. 34, no. 4, pp. 750-755.

Computer Notes — CHEMFORM: A Formatting Program for Geochemical Data, by L. Toran & A. Sjoreen. v. 34, no. 3, pp. 552-553.

Computer Notes — Transient Capture Zone for a Single Well, by M. Musa & M. W. Kemblowski. v. 34, no. 1, pp. 168-170.

Computer Notes — Type-Curve Matching Using a Computer Spreadsheet, by Theodore G. Cleveland. v. 34, no. 3, pp. 554-562.

(The) Constant Displacement Scheme for Tracking Particles in Heterogeneous Aquifers, by X.-H. Wen & J. J. Gómez-Hernández. v. 34, no. 1, pp. 135-142.

(A) Controlled Field Test of Surfactant-Enhanced Aquifer Remediation, by J. C. Fountain, R. C. Starr, T. Middleton, M. Beikirch, C. Taylor & D. Hodge. v. 34, no. 5, pp. 910-916.

Controls on ^{222}Rn Variations in a Fractured Crystalline Rock Aquifer Evaluated Using Aquifer Tests and Geophysical Logging, by P. F. Folger, E. Poeter, R. B. Wanty, D. Frishman & W. Day. v. 34, no. 2, pp. 250-261.

Deformation-Induced Changes in Hydraulic Head During Ground-Water Withdrawal, by Paul A. Hsieh. v. 34, no. 6, pp. 1082-1089.

Detection and Monitoring of Chlorinated Solvent Contamination by Thermal Neutron Logging, by A. L. Endres & J. P. Greenhouse. v. 34, no. 2, pp. 283-292.

Determining an Optimal Sampling Frequency for Measuring Bulk Temporal Changes in Ground-Water Quality, by G. R. Moline, J. J. Beauchamp & T. Wright. v. 34, no. 4, pp. 579-587.

Determining 3D Capture Zones in Homogeneous, Anisotropic Aquifers, by David C. Schafer. v. 34, no. 4, pp. 628-639.

Editorial — A New Paradigm for Cleanup? by John Bredehoeft. v. 34, no. 4, p. 577.

Editorial — A Question of Ethics, by Warren W. Wood. v. 34, no. 3, p. 385.

Editorial — Are Consulting and Good Science Compatible? by D. Cehrs & W. C. Bianchi. v. 34, no. 6, p. 961.

Editorial — Diffusion: The Source of Confusion? by Warren W. Wood. v. 34, no. 2, p. 193.

Editorial — Ignorance, Incompetence, or Arrogance? by Warren W. Wood. v. 34, no. 5, p. 769.

Editorial — Thank You, John — The Bredehoeft Years, by Warren W. Wood. v. 34, no. 1, p. 1.

Effect of Artificial Ground-Water Recharge on Aquifer Parameters Using Cavity Well, by D. S. Taneja & S. D. Khepar. v. 34, no. 2, pp. 335-340.

Effect of Trapped Gas on Dissolved Oxygen Transport — Implications for In Situ Bioremediation, by V. A. Fry, J. D. Istok & K. T. O'Reilly. v. 34, no. 2, pp. 200-210.

Enhanced Organic Contaminant Sorption on Soil Treated with Cationic Surfactants, by M. J. Brown & D. R. Burris. v. 34, no. 4, pp. 734-744.

Enhancing Data Worth of EM Survey in Site Assessment by Cokriging, by K. P. Parks & L. R. Bentley. v. 34, no. 4, pp. 597-604.

Environmental Isotope Characteristics of Landfill Leachates and Gases, by K. C. Hackley, C. L. Liu & D. D. Coleman. v. 34, no. 5, pp. 827-836.

Estimating Hydraulic Conductivities in an Alluvial Basin from Sediment Facies Models, by T. F. McCloskey & E. J. Finnemore. v. 34, no. 6, pp. 1024-1032.

Estimation of Spatial and Temporal Variability of Recharge Fluxes to an Alluvial Aquifer in a Fore Land Area by Water Chemistry and Isotopes, by Y. Guglielmi & J. Mudry. v. 34, no. 6, pp. 1017-1023.

Evaluation of Hydraulic Conductivity of Carson County Well Field, Amarillo, Texas, by Jiannan Xiang. v. 34, no. 6, pp. 1042-1049.

Evaluation of Simple Methods for Estimating Contaminant Removal by Flushing, by Mark L. Brusseau. v. 34, no. 1, pp. 19-22.

Evaluation of the Variations in Borehole Yield from a Fractured Karoo Aquifer, South Africa, by K. Sami. v. 34, no. 1, pp. 114-120.

TITLE INDEX OF VOLUME 34, 1996

Advection-Dispersion Analysis of Solute Transport in Undisturbed Soil Monoliths, by K. H. Jensen, G. Destouni & M. Sassner. v. 34, no. 6, pp. 1090-1097.

Analysis of a Marine Intrusion by Parameters Derived from Salt-Water Conductivity, by Alexander Rozycki. v. 34, no. 6, pp. 1076-1081.

Analysis of the Deformation of Homogeneous Electrical Fields Over Some Two-Dimensional Structures, by M. Srinivas & N. Sundararajan. v. 34, no. 4, pp. 588-592.

Analytical Modeling of Effects of Application Frequency on Pesticide Concentrations in Wells, by W.H.J. Beltman, J.J.T.I. Boesten, S.E.A.T.M. van der Zee & J.J. Quist. v. 34, no. 3, pp. 470-479.

Applicability of Slug Interference Tests for Hydraulic Characterization of Unconfined Aquifers: (1) Analytical Assessment, by F. A. Spane. v. 34, no. 1, pp. 66-74.

Applicability of Slug Interference Tests for Hydraulic Characterization of Unconfined Aquifers: (2) Field Test Examples, by F. A. Spane, Jr., P. D. Thorne & L. C. Swanson. v. 34, no. 5, pp. 925-933.

Application of Factor Analysis to the Study of Contamination in the Aquifer System of Ayamonte-Huelva (Spain), by J. A. Grande, A. González, R. Beltrán & D. Sánchez-Rodas. v. 34, no. 1, pp. 155-161.

Application of Petroleum Geophysical Well Logging and Sampling Techniques for Evaluating Aquifer Characteristics, by T. J. Temples & M. G. Waddell. v. 34, no. 3, pp. 523-531.

Aquifer Response to Record Low Barometric Pressures in the Southeastern United States, by James E. Landmeyer. v. 34, no. 5, pp. 917-924.

(A) Bayesian Markov Geostatistical Model for Estimation of Hydrogeological Properties, by L. Rosen & G. Gustafson. v. 34, no. 5, pp. 865-875.

Bench-Scale Evaluation of Bioaugmentation to Remediate Carbon Tetrachloride-Contaminated Aquifer Materials, by T. J. Mayotte, M. J. Dybas & C. S. Criddle. v. 34, no. 2, pp. 358-367.

Bias in Ground-Water Data Caused by Well-Bore Flow in Long-Screen Wells, by P. E. Church & G. E. Granato. v. 34, no. 2, pp. 262-273.

Biogeochemical Evolution of Domestic Waste Water in Septic Systems: 2. Application of Conceptual Model in Sandy Aquifers, by S. R. Wilhelm, S. L. Schiff & W. D. Robertson. v. 34, no. 5, pp. 853-864.

Biotransformation at 10° C of Di-n-Butyl Phthalate in Subsurface Microcosms, by C. Chauret, W. E. Inniss & C. I. Mayfield. v. 34, no. 5, pp. 791-794.

Biotransformation of Organics in Soil Columns and an Infiltration Area, by T.N.P. Bosma, E.M.W. Ballemans, N. K. Hoekstra, R.A.G. te Welscher, J.G.M.M. Smeenk, G. Schraa & A.J.B. Zehnder. v. 34, no. 1, pp. 49-56.

Boundary Condition and Soil Attribute Impacts on Anionic Surfactant Mobility in Unsaturated Soil, by B. Allred & G. O. Brown. v. 34, no. 6, pp. 964-971.

Cokriging Limited Transmissivity Data Using Widely Sampled Specific Capacity from Pump Tests in an Alluvial Aquifer, by L. Hughson, D. Huntley & M. Razack. v. 34, no. 1, pp. 12-18.

Combined Use of Flowmeter and Time-Drawdown Data to Estimate Hydraulic Conductivities in Layered Aquifer Systems, by R. T. Hanson & T. Nishikawa. v. 34, no. 1, pp. 84-94.

Computer Notes — A BEM Code for Ground-Water Problems in Multizoned Domains with Normal Boundary Flux Discontinuities, by C. Fidelibus & V. Lenti. v. 34, no. 5, pp. 943-948.

Computer Notes — A Program for Analyzing Transient and Steady-State Soil Gas Pump Tests, by Ronald W. Falta. v. 34, no. 4, pp. 750-755.

Computer Notes — CHEMFORM: A Formatting Program for Geochemical Data, by L. Toran & A. Sjoreen. v. 34, no. 3, pp. 552-553.

Computer Notes — Transient Capture Zone for a Single Well, by M. Musa & M. W. Kemblowski. v. 34, no. 1, pp. 168-170.

Computer Notes — Type-Curve Matching Using a Computer Spreadsheet, by Theodore G. Cleveland. v. 34, no. 3, pp. 554-562.

(The) Constant Displacement Scheme for Tracking Particles in Heterogeneous Aquifers, by X.-H. Wen & J. J. Gómez-Hernández. v. 34, no. 1, pp. 135-142.

(A) Controlled Field Test of Surfactant-Enhanced Aquifer Remediation, by J. C. Fountain, R. C. Starr, T. Middleton, M. Beikirch, C. Taylor & D. Hodge. v. 34, no. 5, pp. 910-916.

Controls on ^{222}Rn Variations in a Fractured Crystalline Rock Aquifer Evaluated Using Aquifer Tests and Geophysical Logging, by P. F. Folger, E. Poeter, R. B. Wanty, D. Frishman & W. Day. v. 34, no. 2, pp. 250-261.

Deformation-Induced Changes in Hydraulic Head During Ground-Water Withdrawal, by Paul A. Hsieh. v. 34, no. 6, pp. 1082-1089.

Detection and Monitoring of Chlorinated Solvent Contamination by Thermal Neutron Logging, by A. L. Endres & J. P. Greenhouse. v. 34, no. 2, pp. 283-292.

Determining an Optimal Sampling Frequency for Measuring Bulk Temporal Changes in Ground-Water Quality, by G. R. Moline, J. J. Beauchamp & T. Wright. v. 34, no. 4, pp. 579-587.

Determining 3D Capture Zones in Homogeneous, Anisotropic Aquifers, by David C. Schafer. v. 34, no. 4, pp. 628-639.

Editorial — A New Paradigm for Cleanup? by John Bredehoeft. v. 34, no. 4, p. 577.

Editorial — A Question of Ethics, by Warren W. Wood. v. 34, no. 3, p. 385.

Editorial — Are Consulting and Good Science Compatible? by D. Cehrs & W. C. Bianchi. v. 34, no. 6, p. 961.

Editorial — Diffusion: The Source of Confusion? by Warren W. Wood. v. 34, no. 2, p. 193.

Editorial — Ignorance, Incompetence, or Arrogance? by Warren W. Wood. v. 34, no. 5, p. 769.

Editorial — Thank You, John — The Bredehoeft Years, by Warren W. Wood. v. 34, no. 1, p. 1.

Effect of Artificial Ground-Water Recharge on Aquifer Parameters Using Cavity Well, by D. S. Taneja & S. D. Khepar. v. 34, no. 2, pp. 335-340.

Effect of Trapped Gas on Dissolved Oxygen Transport — Implications for In Situ Bioremediation, by V. A. Fry, J. D. Istok & K. T. O'Reilly. v. 34, no. 2, pp. 200-210.

Enhanced Organic Contaminant Sorption on Soil Treated with Cationic Surfactants, by M. J. Brown & D. R. Burris. v. 34, no. 4, pp. 734-744.

Enhancing Data Worth of EM Survey in Site Assessment by Cokriging, by K. P. Parks & L. R. Bentley. v. 34, no. 4, pp. 597-604.

Environmental Isotope Characteristics of Landfill Leachates and Gases, by K. C. Hackley, C. L. Liu & D. D. Coleman. v. 34, no. 5, pp. 827-836.

Estimating Hydraulic Conductivities in an Alluvial Basin from Sediment Facies Models, by T. F. McCloskey & E. J. Finnemore. v. 34, no. 6, pp. 1024-1032.

Estimation of Spatial and Temporal Variability of Recharge Fluxes to an Alluvial Aquifer in a Fore Land Area by Water Chemistry and Isotopes, by Y. Guglielmi & J. Mudry. v. 34, no. 6, pp. 1017-1023.

Evaluation of Hydraulic Conductivity of Carson County Well Field, Amarillo, Texas, by Jiannan Xiang. v. 34, no. 6, pp. 1042-1049.

Evaluation of Simple Methods for Estimating Contaminant Removal by Flushing, by Mark L. Brusseau. v. 34, no. 1, pp. 19-22.

Evaluation of the Variations in Borehole Yield from a Fractured Karoo Aquifer, South Africa, by K. Sami. v. 34, no. 1, pp. 114-120.

(An) Examination of Short-Term Variations in Water Quality at a Karst Spring in Kentucky, by M. Ryan & J. Meiman. v. 34, no. 1, pp. 23-30.

Extension of the "Pore Tree" Model to Describe Transport in Soil, by Girard A. Simons. v. 34, no. 4, pp. 683-690.

Feasibility of Bioremediation of a Ground Water Polluted with Alkylpyridines, by Z. Ronen, J.-M. Bollag, C.-H. Hsu & J. C. Young. v. 34, no. 2, pp. 194-199.

Field Reports — Microcosms for Aquifer Research: Application to Colonization of Various Sized Particles by Ground-Water Microorganisms, by W. K. Dodds, C. A. Randel & C. C. Edler. v. 34, no. 4, pp. 756-759.

Flow to a Well in a Water-Table Aquifer: An Improved Laplace Transform Solution, by Allen F. Moench. v. 34, no. 4, pp. 593-596.

Fracture Aperture Measurements and Migration of Solutes, Viruses, and Immiscible Creosote in a Column of Clay-Rich Till, by K. Hinsby, L. D. McKay, P. Jørgensen, M. Lenczewski & C. P. Gerba. v. 34, no. 6, pp. 1065-1075.

Gas Partitioning of Dissolved Volatile Organic Compounds in the Vadose Zone: Principles, Temperature Effects and Literature Review, by John W. Washington. v. 34, no. 4, pp. 709-718.

(A) Generalized Approach for the Interpretation of Geophysical Well Logs in Ground-Water Studies — Theory and Application, by F. L. Paillet & R. E. Crowder. v. 34, no. 5, pp. 883-898.

Geochemical Reactions During Biodegradation/Vapor-Extraction Remediation of Petroleum Contamination in the Vadose Zone, by R. M. Capuano & M. A. Johnson. v. 34, no. 1, pp. 31-40.

(The) Geometry of Nonwetting Liquids in the Unsaturated Zone, by M. J. Hartz & T. J. Overcamp. v. 34, no. 5, pp. 837-841.

Geophysics and Shallow Faults in Unconsolidated Sediments, by D. E. Wyatt, M. G. Waddell & G. B. Sexton. v. 34, no. 2, pp. 326-334.

(A) Ground-Water Flow Mathematica Tool Package, by A. H-D. Cheng & P. Sidauruk. v. 34, no. 1, pp. 41-48.

Ground-Water Management Model for an Extensive Multiaquifer System and an Application, by A. Das Gupta, N. Nobi & G. N. Paudyal. v. 34, no. 2, pp. 349-357.

Ground-Water Potential Evaluation of West Godavari District, Andhra Pradesh State, India—A GIS Approach, by M.V.V. Kamaraju, A. Bhattacharya, G. S. Reddy, G. Ch. Rao, G. S. Murthy & T.Ch.M. Rao. v. 34, no. 2, pp. 318-325.

Ground-Water Quality and Flow in a Shallow Glaciofluvial Aquifer Impacted by Agricultural Contamination, by A. E. Kehew, W. T. Straw, W. K. Steinmann, P. G. Barrese, G. Passarella & Wei-Shyuan Peng. v. 34, no. 3, pp. 491-500.

Hydrochemical Analysis of Ground-Water Flow and Saline Incursion in the Clarendon Basin, Jamaica, by K.W.F. Howard & E. Mullings. v. 34, no. 5, pp. 801-810.

(A) Hydrogeologic Model of Samana Cay, Bahamas, and Its Implications for the Columbus Landfall Question, by José J. Valdés. v. 34, no. 4, pp. 745-749.

Hydrogeological Investigations in Northwestern Yucatan, Mexico, Using Resistivity Surveys, by B. Steinich & L. E. Marin. v. 34, no. 4, pp. 640-646.

Hydrology and Geochemistry of Thermal Waters in the Upper Napa Valley, California, by Kent S. Murray. v. 34, no. 6, pp. 1115-1124.

(The) Impact of Ion Exchange Processes on Subsurface Brine Transport as Observed on Piper Diagrams, by D. A. Cates, R. C. Knox & D. A. Sabatini. v. 34, no. 3, pp. 532-544.

Impacts on a Sand Aquifer from an Old Septic System: Nitrate and Phosphate, by J. Harman, W. D. Robertson, J. A. Cherry & L. Zanini. v. 34, no. 6, pp. 1105-1114.

Improving the Quality of Parameter Estimates Obtained from Slug Tests, by J. J. Butler, Jr., C. D. McElwee & W. Liu. v. 34, no. 3, pp. 480-490.

Indicator Geostatistical Analysis of Sand Interconnections Within a Till, by J. R. Sminchak, D. F. Dominic & R. W. Ritzi, Jr. v. 34, no. 6, pp. 1125-1131.

Industrial Contamination of a Municipal Water-Supply Lake by Induced Reversal of Ground-Water Flow, Managua, Nicaragua, by D. N. Bethune, R. N. Farvolden, M. C. Ryan & A. L. Guzman. v. 34, no. 4, pp. 699-708.

In Situ Hydraulic Conductivity of Clay and Silty-Clay Fluvial-Deltaic Sediments, Texas Gulf Coast, by R. M. Capuano & R. Z. Jan. v. 34, no. 3, pp. 545-551.

(The) In Situ Permeable Flow Sensor: A Ground-Water Flow Velocity Meter, by Sanford Ballard. v. 34, no. 2, pp. 231-240.

Integrated Optimal Management of Ground-Water Pollution and Withdrawal, by A. K. Keshari & B. Datta. v. 34, no. 1, pp. 104-113.

Interactive Modeling of Ground-Water Vulnerability Within a Geographic Information System Environment, by U. S. Tim, D. Jain & H.-H. Liao. v. 34, no. 4, pp. 618-627.

Interpretation of Sorption Studies for Compound Isomers or Mixtures, by T. C. Soerens & D. A. Sabatini. v. 34, no. 4, pp. 605-609.

Investigation of Possible Extra Recharge During Pumping in Nottingham Aquifer, by Jiu J. Jiao. v. 34, no. 5, pp. 795-800.

(A) Kernel Estimator for Stochastic Subsurface Characterization, by A. I. Ali & U. Lall. v. 34, no. 4, pp. 647-658.

LNAPL Thickness in Monitoring Wells Considering Hysteresis and Entrapment, by F. Marinelli & D. S. Durnford. v. 34, no. 3, pp. 405-414.

Locating VOC Contamination in a Fractured-Rock Aquifer at the Ground-Water/Surface-Water Interface Using Passive Vapor Collectors, by D. A. Vroblesky, L. C. Rhodes, J. F. Robertson & J. A. Harrigan. v. 34, no. 2, pp. 223-230.

Macroscopic Models for Predicting Changes in Saturated Porous Media Properties Caused by Microbial Growth, by T. P. Clement, B. S. Hooker & R. S. Skeen. v. 34, no. 5, pp. 934-942.

Measuring Rates of Biodegradation in a Contaminated Aquifer Using Field and Laboratory Methods, by F. H. Chapelle, P. M. Bradley, D. R. Lovley & D. A. Vroblesky. v. 34, no. 4, pp. 691-698.

Modeling Cationic Surfactant Transport in Porous Media, by J. S. Hayworth & D. R. Burris. v. 34, no. 2, pp. 274-282.

Modeling of Nitrogen Cycle and Nitrate Transfer in Regional Hydrogeologic Systems, by Q. Z. Geng, G. Girard & E. Ledoux. v. 34, no. 2, pp. 293-304.

Monitoring Networks in Fractured Rocks: A Decision Analysis Approach, by K. Jardine, L. Smith & T. Clemo. v. 34, no. 3, pp. 504-518.

Monitoring of Water Flow and Solute Transport Through the Unsaturated Zone Using a Large-Diameter Borehole, by M. Zilderbrand & H. Gvirtzman. v. 34, no. 1, pp. 57-65.

Multidimensional Water Flow in a Low-Level Waste Isolation Barrier, by W. E. Nichols & P. D. Meyer. v. 34, no. 4, pp. 659-665.

Multiphase Numerical Simulation of Air Sparging Performance, by P. D. Lundegard & G. Andersen. v. 34, no. 3, pp. 451-460.

Multiple Tracers of Shallow Ground-Water Flow and Recharge in Hilly Loess, by R. O'Brien, C. K. Keller & J. L. Smith. v. 34, no. 4, pp. 675-682.

Multiport Well Design for Sampling of Ground Water at Closely Spaced Vertical Intervals, by G. N. Delin & M. K. Landon. v. 34, no. 6, pp. 1098-1104.

(A) New Method to Determine Storage Coefficient from Pumping Test Recovery Data, by O. Banton & L. M. Bangoy. v. 34, no. 5, pp. 772-777.

(A) Numerical Method for Solving the Water Flow Equation in Unsaturated Porous Media, by H. Amokrane & J. P. Villeneuve. v. 34, no. 4, pp. 666-674.

Numerical Simulation of Deep-Well Injection in Geismar, Louisiana, by P. Jin, M. E. Barber & G. C. Flowers. v. 34, no. 6, pp. 989-1000.

Observed and Simulated Movement of Bank-Storage Water, by Paul J. Squillace. v. 34, no. 1, pp. 121-134.

Optimal Ground-Water Remediation Design Using Multiple Control Technologies, by Robert A. Marryott. v. 34, no. 3, pp. 425-433.

Optimization of Remedial Pumping Schemes for a Ground-Water Site with Multiple Contaminants, by Y. Xiang, J. F. Sykes & N. R. Thomson. v. 34, no. 1, pp. 2-11.

Optimum Hydraulic Conductivity to Limit Contaminant Flux Through Cutoff Walls, by J. F. Devlin & B. L. Parker. v. 34, no. 4, pp. 719-726.

Pentachlorophenol Reductive Dechlorination in an Interceptor

Trench: Temperature Effects, by J. D. Cole, S. L. Woods & T. R. Bricker. v. 34, no. 5, pp. 784-790.

Physicochemical Controls on Nonconservative Anion Migration in Coarse-Textured Alluvial Sediments, by J. C. Seaman, P. M. Bertsch, S. F. Korom & W. P. Miller. v. 34, no. 5, pp. 778-783.

Probabilistic Assessment of Ground-Water Contamination: 1. Geostatistical Framework, by C. A. Rautman & J. D. Istok. v. 34, no. 5, pp. 899-909.

Probabilistic Assessment of Ground-Water Contamination: 2. Results of Case Study, by J. D. Istok & C. A. Rautman. v. 34, no. 6, pp. 1050-1064.

Problem-Dependence of Ground-Water Model Identification: Significance, Extent, and Treatment, by Vincent M. Gorokhovski. v. 34, no. 3, pp. 461-469.

Pumping Strategies for Management of a Shallow Water Table: The Value of the Simulation-Optimization Approach, by P. M. Barlow, B. J. Wagner & K. Belitz. v. 34, no. 2, pp. 305-317.

(The) Ratio Method of Estimating Water Resistivity and TDS from Resistivity Logs, by Donald G. Jorgensen. v. 34, no. 3, pp. 519-522.

Seepage Relationships Between Lake Chad and the Chad Aquifers, by S. A. Isiorho, G. Matisoff & K. S. Wehn. v. 34, no. 5, pp. 819-826.

Self-Potential Method in Hydrogeological Exploration of Volcanic Areas, by M. Aubert & Q. Y. Atangana. v. 34, no. 6, pp. 1010-1016.

(A) Semianalytical Solution of One-Dimensional Advective-Dispersive Solute Transport Under an Arbitrary Concentration Boundary Condition, by Shemin Ge & Ning Lu. v. 34, no. 3, pp. 501-503.

(The) Sensitivity of Remedial Strategies to Design Criteria, by D. P. Ahlfeld & E. H. Hill, III. v. 34, no. 2, pp. 341-348.

SF_6 as a Conservative Tracer in Saturated Media with High Intragranular Porosity or High Organic Carbon Content, by R. D. Wilson & D. M. Mackay. v. 34, no. 2, pp. 241-249.

Site Characterization by Neuronets: An Application to the Landfill Siting Problem, by I. A. Basheer, L. N. Reddi & Y. M. Najjar. v. 34, no. 4, pp. 610-617.

Sources of Water to Wells for Transient Cyclic Systems, by T. E. Reilly & D. W. Pollock. v. 34, no. 6, pp. 979-988.

Spatial Characterization of Hydrogeochemistry Within a Constructed Fen, Greene County, Ohio, by C. D. Hite & S. Cheng. v. 34, no. 3, pp. 415-424.

Springs in Spain: Classification According to Their Flows and Lithologies and Their Hydraulic Contributions, by E. S. Pérez. v. 34, no. 6, pp. 1033-1041.

(A) Structured Approach for Calibrating Steady-State Ground-Water Flow Models, by T.-C.J. Yeh & P. A. Mock. v. 34, no. 3, pp. 444-450.

Subsurface Injection of Dissolved Ferric Chloride to Form a Chemical Barrier: Laboratory Investigations, by S. J. Morrison, R. R. Spangler & S. A. Morris. v. 34, no. 1, pp. 75-83.

Subsurface Stormflow Modeling with Sensitivity Analysis Using a Latin-Hypercube Sampling Technique, by J. P. Gwo, L. E. Toran, M. D. Morris & G. V. Wilson. v. 34, no. 5, pp. 811-818.

(The) Successful Use of Microgravity Profiling to Delineate Faults in Buried Bedrock Valleys, by D. M. Allen & F. A. Michel. v. 34, no. 6, pp. 1132-1143.

Surface Application System for In Situ Ground-Water Bioremediation: Site Characterization and Modeling, by H. G. Sweed, P. B. Bedient & S. R. Hutchins. v. 34, no. 2, pp. 211-222.

Surfactant Solutions Developed for NAPL Recovery in Contaminated Aquifers, by R. Martel & P. J. Gélinas. v. 34, no. 1, pp. 143-154.

Technical Notes — Residual Diesel Measurement in Sand Columns After Surfactant/Alcohol Washing, by R. Martel & P. J. Gélinas. v. 34, no. 1, pp. 162-167.

(A) Test of the In Situ Permeable Flow Sensor at Savannah River, SC, by S. Ballard, G. T. Barker & R. L. Nichols. v. 34, no. 3, pp. 389-396.

Trace Element Geochemistry in Water from Selected Springs in Death Valley National Park, California, by D. K. Kreamer, V. F. Hodge, I. Rabinowitz, K. H. Johannesson & K. J. Stetzenbach. v. 34, no. 1, pp. 95-103.

Transport of Bromide and Other Inorganic Ions by Infiltrating Storm Water Beneath a Farmland Plot, by M. Z. Iqbal & N. C. Krothe. v. 34, no. 6, pp. 972-978.

Two-Dimensional Advective Transport in Ground-Water Flow Parameter Estimation, by E. R. Anderman, M. C. Hill & E. P. Poeter. v. 34, no. 6, pp. 1001-1009.

(A) Two-Dimensional MODFLOW Numerical Approximation of Mise-A-La-Masse Electrical Flow Through Porous Media, by J. L. Osiensky & R. E. Williams. v. 34, no. 4, pp. 727-733.

Uranium Contamination in the Great Miami Aquifer at the Fernald Environmental Management Project, Fernald, Ohio, by W. C. Sidle & P. Y. Lee. v. 34, no. 5, pp. 876-882.

Use of a Numerical Model for Management of Shallow Ground-Water Levels in the Yuma, Arizona Area, by Bradley M. Hill. v. 34, no. 3, pp. 397-404.

Using Thermal-Infrared Imagery to Delineate Ground-Water Discharge, by W.S.L. Banks, R. L. Paylor & W. B. Hughes. v. 34, no. 3, pp. 434-443.

Variations in Capture-Zone Geometry of a Partially Penetrating Pumping Well in an Unconfined Aquifer, by E. S. Bair & T. D. Lahm. v. 34, no. 5, pp. 842-852.

AUTHOR INDEX OF VOLUME 34, 1996

Ahlfeld, D. P. & E. H. Hill, III. *(The) Sensitivity of Remedial Strategies to Design Criteria.* v. 34, no. 2, pp. 341-348.

Ali, A. I. & U. Lall. *(A) Kernel Estimator for Stochastic Subsurface Characterization.* v. 34, no. 4, pp. 647-658.

Allen, D. M. & F. A. Michel. *(The) Successful Use of Microgravity Profiling to Delineate Faults in Buried Bedrock Valleys.* v. 34, no. 6, pp. 1132-1143.

Allred, B. & G. O. Brown. *Boundary Condition and Soil Attribute Impacts on Anionic Surfactant Mobility in Unsaturated Soil.* v. 34, no. 6, pp. 964-971.

Amokrane, H. & J. P. Villeneuve. *(A) Numerical Method for Solving the Water Flow Equation in Unsaturated Porous Media.* v. 34, no. 4, pp. 666-674.

Anderman, E. R., M. C. Hill & E. P. Poeter. *Two-Dimensional Advective Transport in Ground-Water Flow Parameter Estimation.* v. 34, no. 6, pp. 1001-1009.

Aubert, M. & Q. Y. Atangana. *Self-Potential Method in Hydrogeological Exploration of Volcanic Areas.* v. 34, no. 6, pp. 1010-1016.

Bair, E. S. & T. D. Lahm. *Variations in Capture-Zone Geometry of a Partially Penetrating Pumping Well in an Unconfined Aquifer.* v. 34, no. 5, pp. 842-852.

Ballard, Sanford. *(The) In Situ Permeable Flow Sensor: A Ground-*

Water Flow Velocity Meter. v. 34, no. 2, pp. 231-240.
Ballard, S., G. T. Barker & R. L. Nichols. *(A) Test of the In Situ Permeable Flow Sensor at Savannah River, SC.* v. 34, no. 3, pp. 389-396.
Banks, W.S.L., R. L. Paylor & W. B. Hughes. *Using Thermal-Infrared Imagery to Delineate Ground-Water Discharge.* v. 34, no. 3, pp. 434-443.
Banton, O. & L. M. Bangoy. *(A) New Method to Determine Storage Coefficient from Pumping Test Recovery Data.* v. 34, no. 5, pp. 772-777.
Barlow, P. M., B. J. Wagner & K. Belitz. *Pumping Strategies for Management of a Shallow Water Table: The Value of the Simulation-Optimization Approach.* v. 34, no. 2, pp. 305-317.
Basheer, I. A., L. N. Reddi & Y. M. Najjar. *Site Characterization by Neuronets: An Application to the Landfill Siting Problem.* v. 34, no. 4, pp. 610-617.
Beltman, W.H.J., J.J.T.I. Boesten, S.E.A.T.M. van der Zee & J.J. Quist. *Analytical Modeling of Effects of Application Frequency on Pesticide Concentrations in Wells.* v. 34, no. 3, pp. 470-479.
Bethune, D. N., R. N. Farvolden, M. C. Ryan & A. L. Guzman. *Industrial Contamination of a Municipal Water-Supply Lake by Induced Reversal of Ground-Water Flow, Managua, Nicaragua.* v. 34, no. 4, pp. 699-708.
Bosma, T.N.P., E.M.W. Ballemans, N. K. Hoekstra, R.A.G. te Welscher, J.G.M.M. Smeenk, G. Schraa & A.J.B. Zehnder. *Biotransformation of Organics in Soil Columns and an Infiltration Area.* v. 34, no. 1, pp. 49-56.
Bredehoeft, John. *Editorial — A New Paradigm for Cleanup?* v. 34, no. 4, p. 577.
Brown, M. J. & D. R. Burris. *Enhanced Organic Contaminant Sorption on Soil Treated with Cationic Surfactants.* v. 34, no. 4, pp. 734-744.
Brusseau, Mark L. *Evaluation of Simple Methods for Estimating Contaminant Removal by Flushing.* v. 34, no. 1, pp. 19-22.
Butler, J. J. Jr., C. D. McElwee & W. Liu. *Improving the Quality of Parameter Estimates Obtained from Slug Tests.* v. 34, no. 3, pp. 480-490.
Capuano, R. M. & M. A. Johnson. *Geochemical Reactions During Biodegradation/Vapor-Extraction Remediation of Petroleum Contamination in the Vadose Zone.* v. 34, no. 1, pp. 31-40.
Capuano, R. M. & R. Z. Jan. *In Situ Hydraulic Conductivity of Clay and Silty-Clay Fluvial-Deltaic Sediments, Texas Gulf Coast.* v. 34, no. 3, pp. 545-551.
Cates, D. A., R. C. Knox & D. A. Sabatini. *(The) Impact of Ion Exchange Processes on Subsurface Brine Transport as Observed on Piper Diagrams.* v. 34, no. 3, pp. 532-544.
Cehrs, D. & W. C. Bianchi. *Editorial — Are Consulting and Good Science Compatible?* v. 34, no. 6, p. 961.
Chapelle, F. H., P. M. Bradley, D. R. Lovley & D. A. Vroblesky. *Measuring Rates of Biodegradation in a Contaminated Aquifer Using Field and Laboratory Methods.* v. 34, no. 4, pp. 691-698.
Chauret, C., W. E. Inniss & C. I. Mayfield. *Biotransformation at 10° C of Di-n-Butyl Phthalate in Subsurface Microcosms.* v. 34, no. 5, pp. 791-794.
Cheng, A. H-D. & P. Sidauruk. *(A) Ground-Water Flow Mathematica Tool Package.* v. 34, no. 1, pp. 41-48.
Church, P. E. & G. E. Granato. *Bias in Ground-Water Data Caused by Well-Bore Flow in Long-Screen Wells.* v. 34, no. 2, pp. 262-273.
Clement, T. P., B. S. Hooker & R. S. Skeen. *Macroscopic Models for Predicting Changes in Saturated Porous Media Properties Caused by Microbial Growth.* v. 34, no. 5, pp. 934-942.
Cleveland, Theodore G. *Computer Notes — Type-Curve Matching Using a Computer Spreadsheet.* v. 34, no. 3, pp. 554-562.
Cole, J. D., S. L. Woods & T. R. Bricker. *Pentachlorophenol Reductive Dechlorination in an Interceptor Trench: Temperature Effects.* v. 34, no. 5, pp. 784-790.
Das Gupta, A., N. Nobi & G. N. Paudyal. *Ground-Water Management Model for an Extensive Multiaquifer System and an Application.* v. 34, no. 2, pp. 349-357.
Delin, G. N. & M. K. Landon. *Multiport Well Design for Sampling of Ground Water at Closely Spaced Vertical Intervals.* v. 34, no. 6, pp. 1098-1104.
Devlin, J. F. & B. L. Parker. *Optimum Hydraulic Conductivity to Limit Contaminant Flux Through Cutoff Walls.* v. 34, no. 4, pp. 719-726.
Dodds, W. K., C. A. Randel & C. C. Edler. *Field Reports — Microcosms for Aquifer Research: Application to Colonization of Various Sized Particles by Ground-Water Microorganisms.* v. 34, no. 4, pp. 756-759.
Endres, A. L. & J. P. Greenhouse. *Detection and Monitoring of Chlorinated Solvent Contamination by Thermal Neutron Logging.* v. 34, no. 2, pp. 283-292.
Falta, Ronald W. *Computer Notes — A Program for Analyzing Transient and Steady-State Soil Gas Pump Tests.* v. 34, no. 4, pp. 750-755.
Fidelibus, C. & V. Lenti. *Computer Notes — A BEM Code for Ground-Water Problems in Multizoned Domains with Normal Boundary Flux Discontinuities.* v. 34, no. 5, pp. 943-948.
Folger, P. F., E. Poeter, R. B. Wanty, D. Frishman & W. Day. *Controls on ^{222}Rn Variations in a Fractured Crystalline Rock Aquifer Evaluated Using Aquifer Tests and Geophysical Logging.* v. 34, no. 2, pp. 250-261.
Fountain, J. C., R. C. Starr, T. Middleton, M. Beikirch, C. Taylor & D. Hodge. *(A) Controlled Field Test of Surfactant-Enhanced Aquifer Remediation.* v. 34, no. 5, pp. 910-916.
Fry, V. A., J. D. Istok & K. T. O'Reilly. *Effect of Trapped Gas on Dissolved Oxygen Transport — Implications for In Situ Bioremediation.* v. 34, no. 2, pp. 200-210.
Ge, Shemin & Ning Lu. *(A) Semianalytical Solution of One-Dimensional Advective-Dispersive Solute Transport Under an Arbitrary Concentration Boundary Condition.* v. 34, no. 3, pp. 501-503.
Geng, Q. Z., G. Girard & E. Ledoux. *Modeling of Nitrogen Cycle and Nitrate Transfer in Regional Hydrogeologic Systems.* v. 34, no. 2, pp. 293-304.
Gorokhovski, Vincent M. *Problem-Dependence of Ground-Water Model Identification: Significance, Extent, and Treatment.* v. 34, no. 3, pp. 461-469.
Grande, J. A., A. González, R. Beltrán & D. Sánchez-Rodas. *Application of Factor Analysis to the Study of Contamination in the Aquifer System of Ayamonte-Huelva (Spain).* v. 34, no. 1, pp. 155-161.
Guglielmi, Y. & J. Mudry. *Estimation of Spatial and Temporal Variability of Recharge Fluxes to an Alluvial Aquifer in a Fore Land Area by Water Chemistry and Isotopes.* v. 34, no. 6, pp. 1017-1023.
Gwo, J. P., L. E. Toran, M. D. Morris & G. V. Wilson. *Subsurface Stormflow Modeling with Sensitivity Analysis Using a Latin-Hypercube Sampling Technique.* v. 34, no. 5, pp. 811-818.
Hackley, K. C., C. L. Liu & D. D. Coleman. *Environmental Isotope Characteristics of Landfill Leachates and Gases.* v. 34, no. 5, pp. 827-836.
Hanson, R. T. & T. Nishikawa. *Combined Use of Flowmeter and Time-Drawdown Data to Estimate Hydraulic Conductivities in Layered Aquifer Systems.* v. 34, no. 1, pp. 84-94.
Harman, J., W. D. Robertson, J. A. Cherry & L. Zanini. *Impacts on a Sand Aquifer from an Old Septic System: Nitrate and Phosphate.* v. 34, no. 6, pp. 1105-1114.
Hartz, M. J. & T. J. Overcamp. *(The) Geometry of Nonwetting Liquids in the Unsaturated Zone.* v. 34, no. 5, pp. 837-841.
Hayworth, J. S. & D. R. Burris. *Modeling Cationic Surfactant Transport in Porous Media.* v. 34, no. 2, pp. 274-282.
Hill, Bradley M. *Use of a Numerical Model for Management of Shallow Ground-Water Levels in the Yuma, Arizona Area.* v. 34, no. 3, pp. 397-404.
Hinsby, K., L. D. McKay, P. Jørgensen, M. Lenczewski & C. P. Gerba. *Fracture Aperture Measurements and Migration of Solutes, Viruses, and Immiscible Creosote in a Column of Clay-Rich Till.* v. 34, no. 6, pp. 1065-1075.
Hite, C. D. & S. Cheng. *Spatial Characterization of Hydrogeochemistry Within a Constructed Fen, Greene County, Ohio.* v. 34, no. 3, pp. 415-424.
Howard, K.W.F. & E. Mullings. *Hydrochemical Analysis of Ground-Water Flow and Saline Incursion in the Clarendon Basin, Jamaica.* v. 34, no. 5, pp. 801-810.
Hsieh, Paul A. *Deformation-Induced Changes in Hydraulic Head*

During Ground-Water Withdrawal. v. 34, no. 6, pp. 1082-1089.
Hughson, L., D. Huntley & M. Razack. *Cokriging Limited Transmissivity Data Using Widely Sampled Specific Capacity from Pump Tests in an Alluvial Aquifer.* v. 34, no. 1, pp. 12-18.
Iqbal, M. Z. & N. C. Krothe. *Transport of Bromide and Other Inorganic Ions by Infiltrating Storm Water Beneath a Farmland Plot.* v. 34, no. 6, pp. 972-978.
Isiorho, S. A., G. Matisoff & K. S. Wehn. *Seepage Relationships Between Lake Chad and the Chad Aquifers.* v. 34, no. 5, pp. 819-826.
Istok, J. D. & C. A. Rautman. *Probabilistic Assessment of Ground-Water Contamination: 2. Results of Case Study.* v. 34, no. 6, pp. 1050-1064.
Jardine, K., L. Smith &T. Clemo. *Monitoring Networks in Fractured Rocks: A Decision Analysis Approach.* v. 34, no. 3, pp. 504-518.
Jensen, K. H., G. Destouni & M. Sassner. *Advection-Dispersion Analysis of Solute Transport in Undisturbed Soil Monoliths.* v. 34, no. 6, pp. 1090-1097.
Jiao, Jiu J. *Investigation of Possible Extra Recharge During Pumping in Nottingham Aquifer.* v. 34, no. 5, pp. 795-800.
Jin, P., M. E. Barber & G. C. Flowers. *Numerical Simulation of Deep-Well Injection in Geismar, Louisiana.* v. 34, no. 6, pp. 989-1000.
Jorgensen, Donald G. *(The) Ratio Method of Estimating Water Resistivity and TDS from Resistivity Logs.* v. 34, no. 3, pp. 519-522.
Kamaraju, M.V.V., A. Bhattacharya, G. S. Reddy, G. Ch. Rao, G. S. Murthy & T.Ch.M. Rao. *Ground-Water Potential Evaluation of West Godavari District, Andhra Pradesh State, India—A GIS Approach.* v. 34, no. 2, pp. 318-325.
Kehew, A. E., W. T. Straw, W. K. Steinmann, P. G. Barrese, G. Passarella & Wei-Shyuan Peng. *Ground-Water Quality and Flow in a Shallow Glaciofluvial Aquifer Impacted by Agricultural Contamination.* v. 34, no. 3, pp. 491-500.
Keshari, A. K. & B. Datta. *Integrated Optimal Management of Ground-Water Pollution and Withdrawal.* v. 34, no. 1, pp. 104-113.
Kreamer, D. K., V. F. Hodge, I. Rabinowitz, K. H. Johannesson & K. J. Stetzenbach. *Trace Element Geochemistry in Water from Selected Springs in Death Valley National Park, California.* v. 34, no. 1, pp. 95-103.
Landmeyer, James E. *Aquifer Response to Record Low Barometric Pressures in the Southeastern United States.* v. 34, no. 5, pp. 917-924.
Lundegard, P. D. & G. Andersen. *Multiphase Numerical Simulation of Air Sparging Performance.* v. 34, no. 3, pp. 451-460.
Marinelli, F. & D. S. Durnford. *LNAPL Thickness in Monitoring Wells Considering Hysteresis and Entrapment.* v. 34, no. 3, pp. 405-414.
Marryott, Robert A. *Optimal Ground-Water Remediation Design Using Multiple Control Technologies.* v. 34, no. 3, pp. 425-433.
Martel, R. & P. J. Gélinas. *Surfactant Solutions Developed for NAPL Recovery in Contaminated Aquifers.* v. 34, no. 1, pp. 143-154.
Martel, R. & P. J. Gélinas. *Technical Notes — Residual Diesel Measurement in Sand Columns After Surfactant/Alcohol Washing.* v. 34, no. 1, pp. 162-167.
Mayotte, T. J., M. J. Dybas & C. S. Criddle. *Bench-Scale Evaluation of Bioaugmentation to Remediate Carbon Tetrachloride-Contaminated Aquifer Materials.* v. 34, no. 2, pp. 358-367.
McCloskey, T. F. & E. J. Finnemore. *Estimating Hydraulic Conductivities in an Alluvial Basin from Sediment Facies Models.* v. 34, no. 6, pp. 1024-1032.
Moench, Allen F. *Flow to a Well in a Water-Table Aquifer: An Improved Laplace Transform Solution.* v. 34, no. 4, pp. 593-596.
Moline, G. R., J. J. Beauchamp & T. Wright. *Determining an Optimal Sampling Frequency for Measuring Bulk Temporal Changes in Ground-Water Quality.* v. 34, no. 4, pp. 579-587.
Morrison, S. J., R. R. Spangler & S. A. Morris. *Subsurface Injection of Dissolved Ferric Chloride to Form a Chemical Barrier: Laboratory Investigations.* v. 34, no. 1, pp. 75-83.
Murray, Kent S. *Hydrology and Geochemistry of Thermal Waters in the Upper Napa Valley, California.* v. 34, no. 6, pp. 1115-1124.
Musa, M. & M. W. Kemblowski. *Computer Notes — Transient Capture Zone for a Single Well.* v. 34, no. 1, pp. 168-170.
Nichols, W. E. & P. D. Meyer. *Multidimensional Water Flow in a Low-Level Waste Isolation Barrier.* v. 34, no. 4, pp. 659-665.
O'Brien, R., C. K. Keller & J. L. Smith. *Multiple Tracers of Shallow Ground-Water Flow and Recharge in Hilly Loess.* v. 34, no. 4, pp. 675-682.
Osiensky, J. L. & R. E. Williams. *(A) Two-Dimensional MODFLOW Numerical Approximation of Mise-A-La-Masse Electrical Flow Through Porous Media.* v. 34, no. 4, pp. 727-733.
Paillet, F. L. & R. E. Crowder. *(A) Generalized Approach for the Interpretation of Geophysical Well Logs in Ground-Water Studies — Theory and Application.* v. 34, no. 5, pp. 883-898.
Parks, K. P. & L. R. Bentley. *Enhancing Data Worth of EM Survey in Site Assessment by Cokriging.* v. 34, no. 4, pp. 597-604.
Pérez, E. S. *Springs in Spain: Classification According to Their Flows and Lithologies and Their Hydraulic Contributions.* v. 34, no. 6, pp. 1033-1041.
Rautman, C. A. & J. D. Istok. *Probabilistic Assessment of Ground-Water Contamination: 1. Geostatistical Framework.* v. 34, no. 5, pp. 899-909.
Reilly, T. E. & D. W. Pollock. *Sources of Water to Wells for Transient Cyclic Systems.* v. 34, no. 6, pp. 979-988.
Ronen, Z., J.-M. Bollag, C.-H. Hsu & J. C. Young. *Feasibility of Bioremediation of a Ground Water Polluted with Alkylpyridines.* v. 34, no. 2, pp. 194-199.
Rosen, L. & G. Gustafson. *(A) Bayesian Markov Geostatistical Model for Estimation of Hydrogeological Properties.* v. 34, no. 5, pp. 865-875.
Rozycki, Alexander. *Analysis of a Marine Intrusion by Parameters Derived from Salt-Water Conductivity.* v. 34, no. 6, pp. 1076-1081.
Ryan, M. & J. Meiman. *(An) Examination of Short-Term Variations in Water Quality at a Karst Spring in Kentucky.* v. 34, no. 1, pp. 23-30.
Sami, K. *Evaluation of the Variations in Borehole Yield from a Fractured Karoo Aquifer, South Africa.* v. 34, no. 1, pp. 114-120.
Schafer, David C. *Determining 3D Capture Zones in Homogeneous, Anisotropic Aquifers.* v. 34, no. 4, pp. 628-639.
Seaman, J. C., P. M. Bertsch, S. F. Korom & W. P. Miller. *Physicochemical Controls on Nonconservative Anion Migration in Coarse-Textured Alluvial Sediments.* v. 34, no. 5, pp. 778-783.
Sidle, W. C. & P. Y. Lee. *Uranium Contamination in the Great Miami Aquifer at the Fernald Environmental Management Project, Fernald, Ohio.* v. 34, no. 5, pp. 876-882.
Simons, Girard A. *Extension of the "Pore Tree" Model to Describe Transport in Soil.* v. 34, no. 4, pp. 683-690.
Sminchak, J. R., D. F. Dominic & R. W. Ritzi, Jr. *Indicator Geostatistical Analysis of Sand Interconnections Within a Till.* v. 34, no. 6, pp. 1125-1131.
Soerens, T. C. & D. A. Sabatini. *Interpretation of Sorption Studies for Compound Isomers or Mixtures.* v. 34, no. 4, pp. 605-609.
Spane, F. A. *Applicability of Slug Interference Tests for Hydraulic Characterization of Unconfined Aquifers: (1) Analytical Assessment.* v. 34, no. 1, pp. 66-74.
Spane, F. A., Jr., P. D. Thorne & L. C. Swanson. *Applicability of Slug Interference Tests for Hydraulic Characterization of Unconfined Aquifers: (2) Field Test Examples.* v. 34, no. 5, pp. 925-933.
Squillace, Paul J. *Observed and Simulated Movement of Bank-Storage Water.* v. 34, no. 1, pp. 121-134.
Srinivas, M. & N. Sundararajan. *Analysis of the Deformation of Homogeneous Electrical Fields Over Some Two-Dimensional Structures.* v. 34, no. 4, pp. 588-592.
Steinich, B. & L. E. Marin. *Hydrogeological Investigations in Northwestern Yucatan, Mexico, Using Resistivity Surveys.* v. 34, no. 4, pp. 640-646.
Sweed, H. G., P. B. Bedient & S. R. Hutchins. *Surface Application System for In Situ Ground-Water Bioremediation: Site Characterization and Modeling.* v. 34, no. 2, pp. 211-222.
Taneja, D. S. & S. D. Khepar. *Effect of Artificial Ground-Water Recharge on Aquifer Parameters Using Cavity Well.* v. 34, no. 2, pp. 335-340.
Temples, T. J. & M. G. Waddell. *Application of Petroleum Geophysical Well Logging and Sampling Techniques for Evaluating Aquifer Characteristics.* v. 34, no. 3, pp. 523-531.

This publication is available in microform.



UMI reproduces this publication in microform: microfiche and 16 or 35mm microfilm. For information about this publication or any of the more than 16,000 periodicals and 7,000 newspapers we offer, complete and mail this coupon to UMI, 300 North Zeeb Road, Ann Arbor, MI 48106 USA. Or call us toll-free for an immediate response: 800-521-0600. From Alaska and Michigan call collect 313-761-4700. From Canada call toll-free 800-343-5299.

Please send me information about the titles I've listed below:

_____

_____

Name_____

Title_____

Company/Institution_____

Address_____

City/State/Zip_____

Phone (_____)_____

U·M·I A Bell & Howell Company
300 North Zeeb Road, Ann Arbor, MI 48106 USA
800-521-0600 toll-free
313-761-4700 collect from Alaska and Michigan
800-343-5299 toll-free from Canada

Allison Geoscience Consultants, Inc.



February 26-28, 1997
Gainesville, Georgia

MINTEQA2 is the primary geochemical speciation model used by the U.S. EPA. The model is suitable for multi-component, multi-phase calculations in natural or laboratory dilute aqueous systems. Topics include model theory, required input data, and case studies. Hands-on computer exercises are an integral part of this three-day workshop. Cost: $600.00 US. Call (770) 535-1191 for details.

Tim, U. S., D. Jain & H.-H. Liao. *Interactive Modeling of Ground-Water Vulnerability Within a Geographic Information System Environment.* v. 34, no. 4, pp. 618-627.

Toran, L. & A. Sjoreen. *Computer Notes — CHEMFORM: A Formatting Program for Geochemical Data.* v. 34, no. 3, pp. 552-553.

Valdés, José J. *(A) Hydrogeologic Model of Samana Cay, Bahamas, and Its Implications for the Columbus Landfall Question.* v. 34, no. 4, pp. 745-749.

Vroblesky, D. A., L. C. Rhodes, J. F. Robertson & J. A. Harrigan. *Locating VOC Contamination in a Fractured-Rock Aquifer at the Ground-Water/Surface-Water Interface Using Passive Vapor Collectors.* v. 34, no. 2, pp. 223-230.

Washington, John W. *Gas Partitioning of Dissolved Volatile Organic Compounds in the Vadose Zone: Principles, Temperature Effects and Literature Review.* v. 34, no. 4, pp. 709-718.

Wen, X.-H. & J. J. Gómez-Hernández. *(The) Constant Displacement Scheme for Tracking Particles in Heterogeneous Aquifers.* v. 34, no. 1, pp. 135-142.

Wilhelm, S. R., S. L. Schiff & W. D. Robertson. *Biogeochemical Evolution of Domestic Waste Water in Septic Systems: 2. Application of Conceptual Model in Sandy Aquifers.* v. 34, no. 5, pp. 853-864.

Wilson, R. D. & D. M. Mackay. *SF_6 as a Conservative Tracer in Saturated Media with High Intragranular Porosity or High Organic Carbon Content.* v. 34, no. 2, pp. 241-249.

Wood, Warren W. *Editorial — A Question of Ethics.* v. 34, no. 3, p. 385.

Wood, Warren W. *Editorial — Diffusion: The Source of Confusion?* v. 34, no. 2, p. 193.

Wood, Warren W. *Editorial — Ignorance, Incompetence, or Arrogance?* v. 34, no. 5, p. 769.

Wood, Warren W. *Editorial — Thank You, John — The Bredehoeft Years.* v. 34, no. 1, p. 1.

Wyatt, D. E., M. G. Waddell & G. B. Sexton. *Geophysics and Shallow Faults in Unconsolidated Sediments.* v. 34, no. 2, pp. 326-334.

Xiang, Jiannan. *Evaluation of Hydraulic Conductivity of Carson County Well Field, Amarillo, Texas.* v. 34, no. 6, pp. 1042-1049.

Xiang, Y., J. F. Sykes & N. R. Thomson. *Optimization of Remedial Pumping Schemes for a Ground-Water Site with Multiple Contaminants.* v. 34, no. 1, pp. 2-11.

Yeh, T.-C.J. & P. A. Mock. *(A) Structured Approach for Calibrating Steady-State Ground-Water Flow Models.* v. 34, no. 3, pp. 444-450.

Zilderbrand, M. & H. Gvirtzman. *Monitoring of Water Flow and Solute Transport Through the Unsaturated Zone Using a Large-Diameter Borehole.* v. 34, no. 1, pp. 57-65.